



Couplings, Pulleys & Sprockets



www.shaktipulley.com

Jaw Couplings

Product Range



Taper Lock Pulley



V. Belt Pulley



Timing Pulley



Poly V Pulley



Keyless Bush



Pin Bush Coupling



Tyre Coupling



Star Coupling



HRC Jaw Coupling



Gear Coupling



Sprockets

www.shaktipulley.com



Couplings, Pulleys & Sprockets

OUR FACILITY



TYPE-SL/SSW

Type	Size	Max. Bore	Outside Dia		Length	Over All Length	kW at 100 RPM
			L	SW			
SL	035	10	16	-	6.5	21	0.004
	050	16	27	-	15	42	0.03
	070	20	34.5	-	19	51	0.05
	075	22	44.5	-	21	55	0.1
SL	095	28	54	65	25	63	0.22
	099	30	65	78	27	72	0.37
	100	35	65	78	35	88	0.49
	110	42	85	96	43	108	0.93
	150	48	96	111	45	115	1.49
	190	60	115	129	54	133	2.01
SSW	225	65	127	142	64	153	2.76
	226	70	137	153	70	178	3.43
	276	75	157	173	80	200	5.60
	280	80	192	208	80	200	8.20
	295	95	237	253	95	238	13.4
SSW	2955	105	237	253	108	264	22.4
	300	108	-	272	115	283	31.9
SSW	350	115	-	323	128	309	45.0



Type - SL Coupling



Spider



Type - SSW Coupling

TYPE-SRRS

Size RRS	Std. Spacer Length	Outside Dia	Max. Bore	Length Thru' Bore	kW at 100 RPM
095	90, 100, 140	28	65	25	0.22
100		35	78	35	0.49
110	90, 100, 140, 180	42	96	43	0.93
150		48	111	45	1.49
190		60	129	54	2.01
225		65	142	65	2.76
226		70	153	70	3.43



TYPE - SRRS Coupling

Overall length = Spacer length + (2XLength Thru Bore)

Note SW 095 to SW 225 hub will be supplied without pilot bore

TYPE-SRRL

Size RRS	Spacer Length	Max. Bore		Outside Dia	Length Thru' Bore		kW at 100 RPM
		▲	Std.		▲	Std.	
095	90, 100, 140	-	28	54	-	25	0.22
100		-	38	65	-	30	0.49
110	90	24		42	85	35	0.93
150	100	32	48	96	40	40	1.49
190	140	38	55	115	45	45	2.01
225	180	42	65	127	50	50	2.76



TYPE - SRRL Coupling

TYPE-SSWQ

Size RRS	Spacer Length	Max. Bore	Outside Dia	Length Thru' Bore	kW at 100 RPM
226	140, 180	70	153	50	3.43
276		80	173	60	5.6
280		80	208	60	8.2
295		105	253	70	13.4
2955		105	253	75	22.4
300		115	272	80	31.9
350		125	323	90	45

Overall length = Spacer length + (2XLength Thru Bore)



TYPE - SSWQ Coupling

Shakti Pulley reserves the right to alter non-critical dimension and specifications without prior intimation
 All dimension in 'mm'
 All Pulleys / Coupling are supplied without balancing. Balancing charges are extra if required.



Couplings, Pulleys & Sprockets

Shakti Pulley Manufacturing Company



Unit-1

Plot No. 28 / 3, Street No. 6, Anand Parbat Industrial Area,
New Rohtak Road, New Delhi

Unit-2

Plot No. 50, Sector-16, HSIDC, Bahadurgarh, Haryana

Unit-3

Plot No. 2, Sector-30E, IMT Rohtak, Haryana



Mobile No.:

+91 999 929 9050 | +91 98100 59086 | +91 80106 58403-06



mail@shaktipulley.com



www.shaktipulley.com

